

Swob
AI

- 5

- 15

20

- 25

4. An image forming apparatus according to claim 1,
further comprising:

an image reading section for reading an image of
5 a document and creating image data; and
a data receiving section for receiving image data,
wherein said plurality of operational modes
include a copying operation in which an image is formed
based on the image data created by said image reading
10 section and a printing operation in which an image is
formed based on the image data received by said data
receiving section.

5. A image forming apparatus according to claim 4,
15 further comprising:

a facsimile control section for sending and
receiving image data through communication lines,

wherein said plurality of operational modes
include a facsimile operation which is executed by using
20 said facsimile control section.

6. A image forming apparatus according to claim 1,
wherein said control means sets a background color of said
display device according to the color information.

25

Sub A2

7. A image forming apparatus according to claim 1,
further comprising:

setting means for setting an image-forming
condition regarding a first function,

5 wherein said plurality of operational modes
include an unset mode in which setting has not been
performed by said setting means and a first setting mode in
which setting has performed by said setting means.

10 8. A image forming apparatus according to claim 7,
wherein said setting means is also capable of setting an
image-forming condition regarding a second function, and
said plurality of operational modes include a second
setting mode in which a condition of said second function
15 has been set.

9. A image forming apparatus according to claim 1,
further comprising:

20 program registration means for registering a
plurality of combinations of image-forming conditions; and
setting means for setting an operational mode by
calling a combination of image-forming conditions
registered by said program registration means.

00160367 003400
00160367 003400

A2
CDN 1

10. A image forming apparatus according to claim 1,
further comprising:

first setting means for setting an image-forming
condition regarding a first function, and

5 second setting means for setting an image-forming
condition regarding a second function in association with
said image-forming condition set by said first setting
means.

10 11. A image forming apparatus according to claim 10,
wherein the image-forming condition regarding said first
function and the image-forming condition regarding said
second function are simultaneously displayed in
sectionalized regions of a screen of said display device,
15 and said regions are displayed in different colors.

12. A image forming apparatus according to claim 10,
wherein a background color of each of said regions is set
according to the color information.

20

13. An image forming apparatus comprising:

an image forming section for forming an image in
a plurality of operational modes;

a display device for performing display in a
25 plurality of display modes;

AD
CON'T

202503230000

$$A \supset \text{con}^1 +$$

5 executed from said memory to control the display mode of
said display device.

ack
AB

000007

THE UNIVERSITY OF CHICAGO